

PRODUCT INFORMATION SHEET

# ZINPRO® 100

A nutritional feed ingredient for animal feed. When used as a commercial feed ingredient, it must be declared as zinc methionine complex.



### **TYPICAL ANALYSIS**

MINERALS	Zinc	10.0%
PROXIMATES	Moisture	1.0 - 2.5%

## PHYSICAL CHARACTERISTICS

Color	Brown
Texture	Granular
Particle Characteristics	Free flowing, slightly hygroscopic
Density	590 - 660 kg/m <sup>3</sup>
Solubility	Active product is water soluble
Package Type	Multiwall bag
Package Weight	25 kg

### **SAFE HANDLING & STORAGE**

When correctly used, there is no toxicity hazard in the use of ZINPRO® 100. Refer to the SDS for more detail. Store in a clean and dry environment. Follow label directions and rotate inventory to ensure fresh product.

## **FEEDING INSTRUCTIONS**

		g/hd/d	g/MT	PPM (mineral)*
DAIRY CATTLE	All			40
BEEF CATTLE	Creep Feed		650	
	Weaned Calves			30
	Cows and Bulls	3.6		
	Feedlot Receiving	ı		60
	Feedlot Finishing			60
SHEEP	All <sup>†</sup>	0.4		
GOATS	All†	0.5		
HORSES	All	3.6	900	
SWINE	Nursery <sup>†</sup>		500	
	Grow/Finish <sup>†</sup>		500	
	Sows and Consult your Zinpro Representative Boars <sup>†</sup>			
POULTRY	All		400	
AQUACULTURE	Salmonids and Marine Fish		800	
	Tilapia and Fresh	water Fish	600	
	Shrimp		600	
COMPANION	Canine		1,000	
	Feline		750	
SPECIALTY	Deer <sup>†</sup>	1.8		
	Elk†	3.6		
	Llamas†	1		

<sup>\*</sup> PPM of mineral provided in the complete diet.

BEEF CATTLE: Creep feed recommendation based on daily intake of 1% body weight.

HORSES: All recommendations based on a mature horse of 500 kg body weight consuming 4 kg of complete feed.

Product not available in all countries.

ZINPRO CORPORATION zinpro.com INT-PI-9904-JP | 22DEC21

<sup>†</sup> Double recommended levels during periods of reduced feed intake, or high production stress.