



PRODUCT INFORMATION SHEET

ZINPRO® E

A nutritional feed ingredient for animal feed. When used as a commercial feed ingredient, it must be declared as zinc methionine complex. Association of American Feed Control Officials (AAFCO) No. 57.151. Canada Reg. No. 990945.



TYPICAL ANALYSIS

MINERALS	Zinc	20.0%
PROXIMATES	Moisture	1.0 - 2.5%
	Ash	31.0%
	Crude Protein	27.0%

PHYSICAL CHARACTERISTICS

Color	Tan
Texture	Granular
Particle Characteristics	Free flowing, slightly hygroscopic
Density	28 - 33 lb/ft ³ / 450 - 530 kg/m ³
Solubility	The product is water soluble
Particle Size	150 µm < 75% < 355 µm
Package Type	Multiwall bag
Package Weight	55.1 lb / 25 kg

SAFE HANDLING & STORAGE

When correctly used, there is no toxicity hazard in the use of ZINPRO® E. Refer to the SDS for more detail. Store in a clean and dry environment. Follow label directions and rotate inventory to ensure fresh product.

Shelf Life: 5 years after the date of manufacture

FEEDING INSTRUCTIONS

		g/hd/d	g/US Ton	g/MT	PPM (mineral)*
DAIRY CATTLE	All	1.8			
BEEF CATTLE	Creep Feed				30
	Weaned Calves	1.8			
	Cows and Bulls				60
	Feedlot Receiving				60
	Feedlot Finishing		300	320	
SHEEP	All	0.2			
HORSES	All	2	455	500	
SWINE	Nursery†		225	250	
	Grow/Finish†		225	250	
	Sows and Boars†		225	250	
POULTRY	All		450	500	
AQUACULTURE	Salmonids and Marine Fish		363	400	
	Tilapia and Freshwater Fish		272	300	
	Shrimp		272	300	
COMPANION	Canine		454	500	
	Feline		340	375	

* PPM of mineral provided in the complete diet.

† Double recommended levels during periods of reduced feed intake, or high production stress.

BEEF CATTLE: Creep feed recommendation based on daily intake of 1% body weight.

HORSES: All recommendations based on a mature horse of 500 kg body weight consuming 4 kg of complete feed.